



Traders Customs Brokerage Ltd.
 2359 Royal Windsor Drive
 Mississauga, Ontario
 Canada, L5J 4S9

Phone: (905) 855-1334
 Fax: (905) 855-1375

Dry containers

Traders dry containers come in several sizes and designs:

- 20' with a payload of up to 28.3 metric tonnes
- 40' - both 8'6" and 9'6" high cube - with a payload of up to 30.4 metric tonnes
- 45' - 9'6" high cube - with a total capacity of 86 cubic metres

Dry/steel

Type	Size	m ³	ft ³
» 20' standard	20' x 8' x 8'6"	33	1,170
» 40' standard	40' x 8' x 8'6"	67	2,390
» 40' high	40' x 8' x 9'6"	76	2,714
» 45' high	45' x 8' x 9'6"	85	3,040

Dry/aluminium

Type	Size	m ³	ft ³
» 45' high	45' x 8' x 9'6"	86	3,071

Please note there may be slight size variations for some containers as well as limitations regarding acceptance in certain locations.

Special features

- Hanger beams which allow the transport of garments on hangers without further packing
- Extra high payload and extra door width versions
- Bull rings and lashing bars to give your cargo added security
- Ventilated containers for crops such as coffee and cocoa

Dry containers 20' standard steel

Properties	Metric	Non-metric
Door openings, width	2,340 mm	7'8 1/16"
Door openings, height	2,280 mm	7'5 3/4"
Internal, length	5,900 mm	19'4 1/6"
Internal, width	2,352 mm	7'8 9/16"
Internal, height to load line	2,393 mm	7'10 3/16"
Weight, gross	30,480 kg	67,194 lb
Weight, tare	2,230 kg	4,916 lb
Weight, payload	28,250 kg	54,782 lb
Volume	33 m ³	1,170 ft ³

Dry container 40' standard steel

Properties	Metric	Non-metric
Door openings, width	2,339 mm	7'8 1/16"
Door openings, height	2,274 mm	7'5 1/2"
Internal, length	12,035 mm	39'5 13/16"
Internal, width	2,350 mm	7'8 1/2"
Internal, height to load line	2,393 mm	7'8 1/2"
Weight, gross	32,500 kg	71,648 lb
Weight, tare	3,700 kg	8,156 lb
Weight, payload	28,800 kg	63,491 lb
Volume	67 m ³	2,390 ft ³

Please note there may be slight size variations for some containers, as well as limitations regarding acceptance in certain locations.

Dry container 40' high steel

Properties	Metric	Non-metric
Door openings, width	2,340 mm	7'8 1/16"
Door openings, height	2,577 mm	8'5 7/16"
Internal, length	12,035 mm	39'5 13/16"
Internal, width	2,350 mm	7'8 1/2"
Internal, height to load line	2,577 mm	8'5 7/16"
Weight, gross	34,000 kg	74,954 lb
Weight, tare	3,800 kg	8,377 lb
Weight, payload	30,200 kg	66,577 lb
Volume	76 m ³	2,714 ft ³

Please note there may be slight size variations for some containers, as well as limitations regarding acceptance in certain locations.

Dry container 45' high steel

Properties	Metric	Non-metric
Door openings, width	2,340 mm	7'8 1/16"
Door openings, height	2,585 mm	8'5 3/4"
Internal, length	13,556 mm	44'5 11/16"
Internal, width	2,352 mm	7'8 9/16"
Internal, height to load line	2,698 mm	8'10 3/16"
Weight, gross	32,500 kg	71,648 lb
Weight, tare	4,800 kg	10,581 lb
Weight, payload	27,700 kg	61,066 lb
Volume	85 m ³	3,040 ft ³

Please note there may be slight size variations for some containers, as well as limitations regarding acceptance in certain locations.

Dry container 45' high aluminium

Properties	Metric	Non-metric
Door openings, width	2,340 mm	7'8 1/16"
Door openings, height	2,584 mm	8'5 11/16"
Internal, length	13,582 mm	44'6 11/16"
Internal, width	2,347 mm	7'8 3/8"
Internal, height to load line	2,696 mm	8'10 1/8"
Weight, gross	32,500 kg	71,648 lb
Weight, tare	3,900 kg	8,597 lb
Weight, payload	28,600 kg	63,050 lb
Volume	86 m ³	3,071 ft ³

Please note there may be slight size variations for some containers, as well as limitations regarding acceptance in certain locations.